An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ralph Webb on December 10, 2008.

Upon entry of this examiner's amendment, there are 15 claims, 3 of which are independent.

## The claims have been amended as follows:

Claims 14, 15 and 25 have been cancelled, claims 16, 19 and 21 have been amended, and claims 26-34 have been added as shown in the following complete listing of claims.

## 1-15. (Cancelled)

16. (Currently Amended) The organic electroluminescent display device according to claim 14, 26, wherein the emitting layer comprises a red emitting layer, a green emitting layer and a blue emitting layer to generate red, green and blue colors, respectively, using subsidiary pixels.

17. (Original) The organic electroluminescent display device according to claim 16, wherein the blue emitting layer is a blue fluorescent emitting layer.

18. (Previously Presented) The organic electroluminescent display device according to claim 17, wherein the red emitting layer and the green emitting layer are phosphorescent emitting layers and wherein the blue fluorescent emitting layer is formed on an upper part of the red and green phosphorescent emitting layers over a front surface of the substrate as a common layer.

- 19. (Currently Amended) The organic electroluminescent display device according to claim 14, 26, wherein the organic film layer further comprises at least one layer selected from a hole injection layer, a hole transport layer, an electron transport layer, an electron injection layer and a hole blocking layer.
- 20. (Original) The organic electroluminescent display device according to claim 19, wherein the organic film layer comprises a red emitting layer, a green emitting layer and a blue fluorescent emitting layer, and wherein the hole blocking layer is formed on an upper part of the red emitting layer and the green emitting layer.
- 21. (Currently Amended) The organic electroluminescent display device according to claim 14, 26, wherein the second electrode is a cathode electrode if the first electrode is an anode

Art Unit: 1794

electrode, and the second electrode is an anode electrode if the first electrode is a cathode electrode.

## 22-25. (Cancelled)

26. (New) An organic electroluminescent display device comprising:

a substrate;

a first electrode and a second electrode formed on the substrate; and

an organic film layer comprising at least one emitting layer between the first electrode and the second electrode,

wherein the emitting layer comprises at least one phosphorescent dopant represented by L3M wherein M is a transition metal selected from the group consisting of Ir and Os, and L is a bidentate ligand coordinated with carbon and nitrogen and is represented by the following chemical formula 14:

## Chemical Formula 14

Application/Control Number: 10/828,247

Art Unit: 1794

27. (New) An organic electroluminescent display device comprising:

a substrate;

a first electrode and a second electrode formed on the substrate; and
an organic film layer comprising at least one emitting layer between the first electrode

and the second electrode,

wherein the emitting layer comprises at least one phosphorescent dopant represented by L2ML' wherein M is a transition metal selected from the group consisting of Ir and Os, the L and L' are bidentate ligands coordinated with carbon and nitrogen, and at least one of the L and L' is represented by the following chemical formula 14:

Chemical Formula 14

28. (New) The organic electroluminescent display device according to claim 27, wherein the emitting layer comprises subsidiary pixels of a red emitting layer, a green emitting layer and a blue emitting layer.

Application/Control Number: 10/828,247 Page 6

Art Unit: 1794

29. (New) The organic electroluminescent display device according to claim 28,

wherein the blue emitting layer is a blue fluorescent emitting layer.

30. (New) The organic electroluminescent display device according to claim 29, wherein

the red emitting layer and the green emitting layer are phosphorescent emitting layers and

wherein the blue fluorescent emitting layer is formed on an upper part of the red and green

phosphorescent emitting layers over a front surface of the substrate as a common layer.

31. (New) The organic electroluminescent display device according to claim 27, wherein

the organic film layer further comprises at least one layer selected from a hole injection layer, a

hole transport layer, an electron transport layer, an electron injection layer and a hole blocking

layer.

32. (New) The organic electroluminescent display device according to claim 31, wherein

the organic film layer comprises a red emitting layer, a green emitting layer and a blue

fluorescent emitting layer, and wherein the hole blocking layer is formed on an upper part of the

red emitting layer and the green emitting layer.

33. (New) The organic electroluminescent display device according to claim 27, wherein

the second electrode is a cathode electrode if the first electrode is an anode electrode, and the

second electrode is an anode electrode if the first electrode is a cathode electrode.

Application/Control Number: 10/828,247 Page 7

Art Unit: 1794

34. (New) An emitting compound having a chemical structure of L2ML' or L3M, wherein the M is a transition metal selected from the group consisting of Ir and Os, the L and L' are bidentate ligands coordinated with carbon and nitrogen, wherein in L2ML', at least one of the L and L' is represented by the following chemical formula 14, and in L3M, L is represented by the following chemical formula 14:

Chemical Formula 14

The amendment filed September 25, 2008, which amended claims 14, 15 and 25, overcame the rejections based on Okada et al. (US 2002/0055014 A1) and Okada et al. '014 in view of Park et al. (US 2003/0042848 A1) and Yu et al. (US 2004/0094768 A1), as set forth in the Office action mailed June 25, 2008. The amendment filed September 25, 2008 did not overcome the rejections based on Igarashi et al. (US 2001/0019782 A1) and Igarashi et al. '782 in view of Park et al. '848 and Yu et al. '768 with respect to Chemical Formula 4 and Chemical Formula 26.

The examiner's amendment set forth above overcomes the rejections based on Igarashi et

al. '782 and Igarashi et al. '782 in view of Park et al. and Yu et al. New claim 26 replaces

cancelled claim 14, with the deletion of Chemical Formula 4, and the dependency of claims 16,

19 and 21 has been amended accordingly. Claims 15 and 25, which required a compound of

Chemical Formula 26, have been cancelled.

New claims 27-34 are supported by the original disclosure, and are directed to subject

matter which is not disclosed or suggested by the prior art.

Claims 16-21 and 26-34 are pending and are allowed. Allowed claims 26, 16-21 and 27-

34 are renumbered as 1-15, respectively.

Any inquiry concerning this communication should be directed to Marie R. Yamnitzky at telephone number (571) 272-1531. The examiner works a flexible schedule but can generally be

reached at this number from 7:00 a.m. to 3:30 p.m. Monday-Friday.

The current fax number for all official faxes is (571) 273-8300. (Unofficial faxes to be sent

directly to examiner Yamnitzky can be sent to (571) 273-1531.)

/Marie R. Yamnitzky/

Primary Examiner, Art Unit 1794

MRY

December 11, 2008